

## **Arizona WIC Program-Stage 2 Observations**



REVIEWER:	DATE:
AGENCY:	CLINIC:

	Notes
Certifier Name	
Participant ID No.	
Category	
Anthropometric/Laboratory	
Signature obtained for consent	
Medical data <60 days old entered correctly (if applicable)	
Weight/Length/Height	
Scales are zeroed and balanced before weighing individual	
Dry diaper	
Light clothing	
Without shoes	
Weighed twice (n/a if digital equipment is used)	
Weighed to nearest ounce	
Length board used for infants & children under 24 months or unable to stand unassisted	
Both legs are grasped and straightened for measurements (length)	
Length/Height measured twice (n/a if digital equipment is used)	
Standing height used for children over 24 months & women	
Measured using a stadiometer or non- stretched tape with a flat headboard	
Heels slightly apart	
Ankles, hips and, should blades aligned	
Eyes straight ahead with arms at sides	
Without top hair adornment	
Length/Height is measured to nearest 1/8 inch	
Hemocue Lab Procedure	

 $\sqrt{\ }$  = Complete, done correctly

N/A = Not applicable  $0^*$   $1^*$   $2^*$   $3^*$ 

 $\emptyset$  = Incorrectly done or not done

Cleansed & gloved hands for each test	
Gloves remained on until cuvette was	
disposed	
Correct site chosen (middle or ring finger,	
cannot have ring, heel when appropriate)	
Cleansed & dried site, site held to distend skin	
Correct puncture site and depth, first 2 - 3	
drops wiped, pressure / bandage applied (no	
bandage under 2 years)	
No squeezing / milking to collect blood, other	
method used	
Cuvette container with lid on and stored at	
room temperature	
The sharp edge of the cuvette is pointed downward	
Filled in one step to front edge, excess blood	
wiped off	
Hold cuvette to light to check for air bubbles,	
discarded if present	
Disposed of used supplies properly in	
Biohazard / Sharps containers/trash can as	
appropriate	
After each test, dispose of gloves, and cleanse	
hands	
	<del> </del>
Blood values recorded accurately	
Blood values recorded accurately  Masimo Pronto Procedure	
·	
Masimo Pronto Procedure	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light  Cable runs flat with no kinks or twists	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light  Cable runs flat with no kinks or twists  If unable to obtain reading, HemoCue machine	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light  Cable runs flat with no kinks or twists  If unable to obtain reading, HemoCue machine is used  Customer Service	
Masimo Pronto Procedure  Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light  Cable runs flat with no kinks or twists  If unable to obtain reading, HemoCue machine is used	
Cleansed hands (hand sanitizer okay for Pronto)  Used on a client 2 years old or older  Cleansed & dried site  Correct digit gauge used (adult, pediatric)  Correct finger used (middle or ring, thumbs for small children, no rings or tight jewelry on hand being tested)  Sensor is aligned on finger correctly  Sensor is shielded from excessive light  Cable runs flat with no kinks or twists  If unable to obtain reading, HemoCue machine is used  Customer Service  Staff logged out of HANDS or locked computer	

Accommodations were made to provide services/forms in participant's preferred language/ Focused on client when a translator was used	
Staff focused on the client and not the	
computer	
Staff informed client of the right to complain/	
complaint hotline number	

Notes:	
Participant Name and ID #	Discussion points with the certifier:
	How do you feel the appointment went?
	What areas do you feel you do well on?
	What might you do different next time?

